

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	166	(((((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)) and ((calibrat\$4 or correct\$4 or compensat\$4) same transformer)) and (current or amps or amperage or volt or voltage or potential)) and (((324/74) or (324/141) or (324/142) or (324/86) or (340/870.01) or (340/870.02) or (340/870.04) or (702/60) or (702/61) or (702/65)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:51
S1	109	(current adj transformer) with calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/13 11:43
S2	2	("4356721").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/08/26 08:51
S3	139	(current adj transformer) with calibrat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 15:52
S4	14038	electricity and meter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 16:59
S5	598	(electricity same meter) and (current or amperage or amp) and (volt or voltage or potential) and transformer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 15:55
S6	236094	"324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 17:05
S7	303	revenue with meter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 17:01

S8	1337	((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 17:02
S9	311	((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)) and ((calibrat\$4 or correct\$4 or compensat\$4) same transformer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 17:04
S10	311	((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)) and ((calibrat\$4 or correct\$4 or compensat\$4) same transformer)) and (current or amps or amperage or volt or voltage or potential)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 17:05
S11	4016	((324/74) or (324/141) or (324/142) or (324/86) or (340/870.01) or (340/870.02) or (340/870.04) or (702/60) or (702/61) or (702/65)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 17:07
S12	150	((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)) and ((calibrat\$4 or correct\$4 or compensat\$4) same transformer)) and (current or amps or amperage or volt or voltage or potential)) and (((324/74) or (324/141) or (324/142) or (324/86) or (340/870.01) or (340/870.02) or (340/870.04) or (702/60) or (702/61) or (702/65)).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/21 09:49

S13	10	(((((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)) and ((calibrat\$4 or correct\$4 or compensat\$4) same transformer)) and (current or amps or amperage or volt or voltage or potential)) and (((324/74) or (324/141) or (324/142) or (324/86) or (340/870.01) or (340/870.02) or (340/870.04) or (702/60) or (702/61) or (702/65)).CCLS.)) and ((memory or eprom or eeprom or prom or ram) with factor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 18:20
S14	9	("3732489"   "4837504"   "5469049"   "5548527"   "5742512"   "5924051"   "6133720"   "6256128"   "6459258").PN.	USPAT	OR	ON	2003/11/24 17:57
S15	7	(((((power or electricity or electric or revenue) with meter) and (electricity or current or voltage or volt or power) and transformer and ("324"/\$.ccls. or "340"/\$.ccls. or "702"/\$.ccls.)) and ((calibrat\$4 or correct\$4 or compensat\$4) same transformer)) and (current or amps or amperage or volt or voltage or potential)) and (((324/74) or (324/141) or (324/142) or (324/86) or (340/870.01) or (340/870.02) or (340/870.04) or (702/60) or (702/61) or (702/65)).CCLS.)) and ((memory or eprom or eeprom or prom or ram) with transformer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/24 18:20
S16	5	((("55444089") or ("5933004") or ("6112158"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/24 18:38
S17	2	("5619142").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/11 15:21